


# Product Data Sheet

## MaxiFlex® Endurance™ 34-845

<b>Colour – Coating</b>	Black
<b>Colour – Liner</b>	Grey
<b>Design</b>	3/4 coated knitwrist
<b>Coating</b>	NBR (Nitrile Butadiene Rubber)
<b>Coating texture</b>	Micro-Foam for Controlled Grip
<b>Liner</b>	Nylon, Spandex
<b>Patent number</b>	EP 1 608 808
<b>Palm thickness</b>	1.10 mm



### Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/-10 mm)	195	210	225	230	235	240
Wrist length (mm)	55	55	60	65	65	65
Wrist width (mm)	65	70	70	75	75	75
Palm width (+/-3 mm)	87	91	100	100	104	106
Over lock colour	Blue	Red	Orange	White	Yellow	Black

### EN test Results

Test	Notified Body	Result/Pass
EN 420: 2003 + A1: 2009	TÜV Rheinland	Yes
EN 388: 2016 + A1: 2018	TÜV Rheinland	4131A

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".



# Product Data Sheet

## MaxiFlex® Endurance™ 34-845

### Typical Performance Values

EN 420 Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 50 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 2 Newton

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Oeko-Tex® 100	Certified
Sanitized®	Yes



### Special features

Silicone free	No
---------------	----

### Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270



# Product Data Sheet

## MaxiFlex® Endurance™ 34-845

### Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / Pair (+/-6 gram)	28	32	38	42	46	48
Gross Weight (Kg)	5.4	6	6.8	7.4	7.7	8.3
Carton Weight (Kg)	1	1	1	1	1	1
Net Weight (Kg)	4.4	5	5.8	6.4	6.7	7.3

Issue date: 17.04.2019

